



BOCCOLA / Cross dowel w/collar

Art.		l	x	b		
CGB00115CR		30	24	15	m10	2000
CGB00215CR		25	20	12,5	m10	2000
CGB00315CR		22	18	11	m10	2000




BOCCOLA / Cross dowel w/collar

Art.		l	x	b		
CGB00415CR		30	24	15	m10	2000
CGB00515CR		25	20	12,5	m10	2000
CGB00615CR		22	18	11	m10	2000




GRANI / Screws

Art.		l	b	
CGVT0115CR		12	m10	5000
CGVT1615CR		16	m10	5000




TIRANTI / Dowels

Art.	Ø	l	x	n	b	
CGTT1807CR	10	45	30	9	m6	2500
CGTT1907CR	10	45	30	9	m8	2500
CGTT2007CR	10	36	20	9	m6	2500
CGTT2107CR	10	36	20	9	m8	2500
CGTT2207CR	10	36	20	9	7/16	2500
CGTT2307CR	10	41	25	11	7/16	2500
CGTT2407CR	10	34,5	20	7,5	m6	2500




TIRANTI DOPPI / Double dowels

Art.		
CGTT2507CR		500




TIRANTI AD ANGOLO / Angle dowels

Art.		
CGTT2607CR		200




BOCCOLA / Cross dowel w/collar

Art.		l	x	b	
CGB00715CR	16	14	8	m8	2500
CGB00815CR	18	15	9	m8	2500
CGB00915CR	20	16	10	m8	2500
CGB03715CR	22	16,5	11	m8	2500
CGB03815CR	25	18	12,5	m8	2500
CGB01015CR	16	14	8	8mb	2500
CGB01115CR	18	15	9	8mb	2500
CGB01215CR	20	16	10	8mb	2500




BOCCOLA / Cross dowel w/collar

Art.		l	x	b	
CGB01315CR	16	14	8	m8	2500
CGB01415CR	18	15	9	m8	2500
CGB01515CR	20	16	10	m8	2500
CGB01615CR	14	13	7	8mb	2500
CGB01715CR	16	14	8	8mb	2500
CGB01815CR	18	15	9	8mb	2500
CGB01915CR	20	16	10	8mb	2500




GRANI / Screws

Art.		l	b	
CGVT0215CR		10	m8	10000
CGVT0315CR		10	8mb	10000
CGVT1715CR		12,5	m8	10000




COPRIFORO / Cover Cap

Art.	Ø	l	
1902CR	18	3,5	1000



COPRIFORO ADESIVO / Adhesive Cover cap

Art.	Ø			
CGC01702CR	20			900
CGC01802CR	25			720




BOCCOLA CON E SENZA COLLARE / Cross dowel w & w/o collar

Art.	Ø	l	x	b		
CGB01415PRCR	18	15	9	m8	S/Bordo	2500
CGB00815PRCR	18	15	9	m8	C/Bordo	2500




GRANI / Screws

Art.		l	b	
CGVT1215PRCR		6	m8	5000




TIRANTE / Dowel

Art.	X	l	n	b	
CGTT5207CR	20	35	9	m6	1000





COPRIFORO ADESIVO / Adhesive Cover cap

Art.	Ø			
CGC01702	20			900
CGC01802	25			720




COPRIFORO / Cover Cap

Art.	Ø	l		
CGC01902	18	3,5		1000




TIRANTI / Dowels

Art.	Ø	l	x	n	b	
CGTT2707CR	8	35	20	8	m8	2500
CGTT2807CR	7	39	20	11	f.l.6	2500
CGTT2907CR	7	35	20	9	m6	2500
CGTT3007CR	7	34	18,5	9	m6	2500
CGTT3107CR	7	45	30	9	m6	2500
CGTT3207CR	7	45	28,5	9	m6	2500




TIRANTI DOPPI / Double dowels

Art.	Ø	X	L	
CGTT3307CR	8	40	60	1000
CGTT4107CR	7	40	60	1000
CGTT5507CR	7	42	62	1000




TIRANTI AD ANGOLO / Angle dowels

Art.	Ø	x		
CGTT3407CR	8	64		1000




BOCCOLA / Cross dowel

Art.	Ø	l	x	b	
CGB02007CR	26	19	13	m6	2500
CGB02107CR	22	17	11	m6	2500
CGB02207CR	18	14	9	m6	2500
CGB02307CR	16	13	8	m6	2500
CGB02407CR	14	12,5	7	m6	2500




TIRANTI / Dowels

Art.	Ø	l	x	n	b	
CGTT2907CR	7	35	20	9	m6	2000
CGTT3007CR	7	34	18,5	9	m6	2000
CGTT3107CR	7	45	30	9	m6	2000
CGTT3207CR	7	45	28,5	9	m6	2000




GRANI / Screws

Art.	l	b		
CGVT0407CR	14	m6	10000	
CGVT0507CR	11	m6	10000	
CGVT0607CR	8	m6	10000	
CGVT0707CR	14	m6	10000	
CGVT0807CR	11	m6	10000	
CGVT0907CR	8	m6	10000	




TIRANTI DOPPI / Double dowels

Art.	Ø	x	l	
CGTT3507CR	6	42	62	1000




TIRANTE DOPPIA SVASATURA / Dowel W/Double Flare

Art.	Ø	x	l	
CGTT5507CR	7	42	62	1000





TIRANTI AD ANGOLO / Angle dowels

Art.	Ø		
CGTT3607CR	6		1000




BOCCOLA / Cross dowel w/collar

Art.		l	x	b		
CGB02515CR		20	15	10	8mb	2500
CGB02615CR		18	14 5,	9	8mb	2500
CGB02715CR		16	13 5,	8	8mb	2500
CGB02815CR		20	15	10	m8	2500
CGB02915CR		18	14,5	9	m8	2500
CGB03015CR		16	13,5	8	m8	2500




TIRANTI / Dowels

Art.	Ø	l	x	n	b	
CGTT3707CR	7	51,5	34	11	f.l.6	2000
CGTT3807CR	7	41,5	24	11	f.l.6	2000
CGTT3907CR	7	48,5	34	8	m6	2000
CGTT4007CR	7	38,5	24	8	m6	2000




GRANI / Screws

Art.		l	b	
CGVT1007CR		6	8mb	5000
CGVT1107CR		8	8mb	5000
CGVT1207CR		6	m8	5000
CGVT1307CR		8	m8	5000
CGVT1415CR		8	8mb	5000




BARILOTTO / Barrel nut

Art.		l	x	b	
CGB03107CR		16	13	8	m6
CGB03207CR		18	14	9	m6
CGB03307CR		20	15	10	m6





GIUNTO PER L'ASSEMBLAGGIO PER ACCOSTAMENTO / Joint for matching assembly

Art.	FINITURA / FINISHING		MISURE PERNO PIN SIZES			MISURE VITI SCREW SIZES	
	Perno/pin	Vite/Screw	X	Y	Fil.	X	Y
CG83761315BRBD	Zincato	Bronzato/Bronzed	8	37	6MA	13	15
CG83761315ZIBD	Zincato	Bronzato/Bronzed	8	37	6MA	13	15
CG11407161820ZIBD	Zincato	Bronzato/Bronzed	11	40	7/16	18	20
CG11407161820ZIBD	Zincato	Bronzato/Bronzed	11	40	8MA	18	20
CG10477161820ZIBD	Zincato	Bronzato/Bronzed	11	40	6MA	18	20
CG10477161820ZIBD	Zincato	Bronzato/Bronzed	10	47	7/16	18	20




MONTAGGIO Ø18 CON VIRGOLA / SUPPORT Ø18 W/CAM

Art.	📏	l	x	📦
CGIP10969CR	16	13	8	2500
CGIP11069CR	18/20	14,5	9	2500
CGIP11169CR	23	17	11,5	2500
CGIP11269CR	25	18	14,5	2500
CGIP11369CR	28/30	20	15	2500




MONTAGGIO c/eccentrico Ø20 / Support w/cam Ø20

Art.	📏	l	x	📦
CGIP8769CR	18	14	9	2500
CGIP9069CR	25	18	12,5	2500
CGIP9169CR	30	20	15	2500




STAFFETTA CON BASE TONDA /CONNECTING FITTING ROUND BASIS



Art.	Ø		x	
CGIP12115CR	21	16	8	2500
CGIP12215CR	21	18/20	9	2500
CGIP12315CR	21	23	11	2500
CGIP12415CR	21	25	12,5	2500
CGIP10715CR	21	30	15	2500


STAFFETTA SENZA FORO /CONNECTING FITTING W/O HOLE

Art.	Ø		x	
CGIP11615CR	21	16	8	2500
CGIP11715CR	21	18/20	9	2500
CGIP11815CR	21	23	11	2500
CGIP11915CR	21	25	12,5	2500
CGIP12015CR	21	30	15	2500





MONTAGGIO Ø 18 SENZA VIRGOLA /SUPPORT Ø18 W/O CAM

Art.		l	x	
CGIP10902CR	16	13	8	2500
CGIP11002CR	18/20	14,5	9	2500
CGIP11102CR	23	17	11,5	2500
CGIP11202CR	25	18	14,5	2500
CGIP11302CR	28/30	20	15	2500





MONTAGGIO Ø 20 SENZA VIRGOLA /SUPPORT Ø20 W/O CAM


Art.		l	x	
CGIP8702CR	18	14	9	2500
CGIP9002CR	25	18	12,5	2500
CGIP9102CR	30	20	15	2500


Supporto / PLASTIC support

Art.		
CGIP7902CR		5000




Giunzione interparete / Connecting fitting

Art.		x	
CGIP7715CR	25	12,5	2000
CGIP7815CR	28	14	2000
CGIP8315CR	30	15	2000




Giunzione premontata / Premounted connecting fittings

Art.		x	
CGIP8620CR	25	12,5	2000
CGIP8520CR	28	14	2000
CGIP8420CR	30	15	2000





Supporto / PLASTIC support

Art.	
CGIP1502CR	5000





Giunzione interparete / Connecting fitting

Art.		x	
CGIP1615CR	25	12,5	2000
CGIP1715CR	28	14	2000
CGIP1815CR	30	15	2000





Giunzione interparete c/foro / Connecting fitting w/hole

Art.		x	
CGIP1915CR	25	12,5	2000
CGIP2015CR	28	14	2000
CGIP2115CR	30	15	2000





Giunzione premontata / Premounted connecting fitting

Art.		x	
CGIP2220CR	25	12,5	2000
CGIP2320CR	28	14	2000
CGIP2420CR	30	15	2000





Giunzione premontata c/foro / Premounted connecting fitting w/hole

Art.		x	
CGIP2520CR	25	12,5	2000
CGIP2620CR	28	14	2000
CGIP2720CR	30	15	2000




Giunzione interparete Ø4 / Connecting fitting Ø4

Art.		x	
CGIP2815CR	25	12,5	2000
CGIP2915CR	28	14	2000
CGIP3015CR	30	15	2000





Supporto / PLASTIC support

Art.		
CGIP3102CR		5000




Giunzione interparete / Connecting fittings

Art.			x	
CGIP3215CR	22	11		2000




Giunzione interparete c/foro / Connecting fittings w/hole

Art.			x	
CGIP3315CR	22	11		2000




Supporto / PLASTIC support

Art.		l1	
CGIP3402CR		7	5000
CGIP3502CR		10	5000




Giunzione interparete / Connecting fitting

Art.		x	
CGIP3615CR	18	9	2000
CGIP3715CR	20	10	2000




Giunzione interparete c/foro / Connecting fitting w/hole

Art.		x	
CGIP3815CR	18	9	2000
CGIP3915CR	20	10	2000




Giunzione premontata / Premounted connecting fitting

Art.		x	
CGIP4020CR	18	9	2000
CGIP4120CR	20	10	2000




Giunzione interparete Ø4 / Connecting fitting Ø4

Art.		x	
CGIP4215CR	18	9	2000
CGIP4315CR	20	10	2000




supporto tecnoplastica / plastic support

Art.				
CGIP10069CR				3000




STAFFETTA / support

Art.		x	
CGIP10115CR	25	12,5	1500
CGIP10215CR	28	14	1500
CGIP10315CR	30	15	1500




Chiodi / Nails

Art.	Øl			
CGIP4407CR	32	5		10000




Chiodi / Nails

Art.	Ø	l		
CGIP4502CR	3	25		10000




Giunzione interparete c/collare / Connecting fitting w/collar

Art.		l	x	
CGIP4769CR	15/16	13	8	2500
CGIP4869CR	18	14	9	2500
CGIP5069CR	22	16	11	2500
CGIP5169CR	25	17,5	12,5	2500
CGIP5269CR	30	20	15	2500




Giunzione interparete s/collare / Connecting fitting w/o collar

Art.		l	x	
CGIP5369CR	15	12,5	7,5	2500
CGIP5469CR	16	13	8	2500
CGIP5569CR	20	15	10	2500




Giunzione interparete c/collare / Connecting fitting w/collar

Art.		l	x	
CGIP8005CR	16	13	8	2500
CGIP8205CR	18/20	15	9,5	2500




Giunzione interparete c/collare / Connecting fitting w/collar

Art.		l	x	
CGIP5669CR	18	14	9	2500
CGIP5769CR	20	15	10	2500
CGIP5869CR	22	16	11	2500
CGIP5969CR	25	17,5	12,5	2500
CGIP6069CR	30	20	15	2500





Giunzione interparete s/collare / Connecting fitting w/o collar

Art.		l	x	
CGIP6169CR	18	14	9	2500
CGIP6269CR	25	17,5	12,5	2500





Giunzione interparete / Connecting fitting

Art.		l	x	
CGIP6369CR	16/18	14	9	2500





Giunzione interparete / Connecting fitting

Art.		l	x	
CGIP6402CR	16	13	8	5000
CGIP6502CR	18/20	14	9,5	5000




Giunzione interparete / Connecting fitting

Art.		l	x	
CGIP6602CR	13	10,5	6,5	5000
CGIP6702CR	16	12,5	8	5000
CGIP6802CR	18	14	9	5000




Giunzione interparete / Connecting fitting

Art.	Ø			
CGIP12569CR	25			2500
CGIP12602CR	25			2500




SUPPORTO / INSERTS Ø18MAK

Art.	Ø	L		
CGIP10469CR	18	13	16-19	2500
CGIP10569CR	18	17,5	22-30	2500





SUPPORTO / INSERTS Ø20

Art.	Ø	L		
CGIP9969CR	20	13	16-19	2500
CGIP9769CR	20	17,5	22-30	2500




SUPPORTO / SUPPORTS

Art.	X	L		
CGIP10615CR	8	13	16	1250
CGIP3115CR	12,5	17	25	2500
CGIP9815CR	15	21	30	1250




Tiranti mignon / Mignon dowels

Art.		l	b	
CGMT0107CR		9	m6	5000
CGMT0207CR		8	m4	5000
CGMT0307CR		11	f.l.3,8	5000
CGMT0407CR		14	f.l.6	5000
CGMT0507CR		11	f.l.6	5000
CGMT0607CR		8	f.l.6	5000




Tiranti mignon / Mignon dowels

Art.		l	b	
CGMZ0115CR		8	f.l.6	5000




Viti luna / Screws

Art.	n	b	
CGIPCR6907	9	f.l.6	5000
CGIP7007CR	7	f.l.6	5000
CGIP7107CR	9	m6	5000
CGIP7207CR	9	m4	5000
CGIP7307CR	11	f.l.3,8	5000




Eccentrici/Excenters

Art.		l	x	
CGEX1515CR	12	10,4	6	2500
CGEX0115CR	15	12	7,5	2500
CGEX0215CR	16	12,5	8	2500
CGEX0315CR	18	14	9	2500
CGEX0415CR	20	15	10	2500
CGEX0515CR	22	16	11	2500
CGEX0615CR	25	17,5	12,5	2500
CGEX1615CR	28/30	18,7	14,5	2500




Eccentrico c/bordo/Excenters with edge

Art.		l	x	
CGEX2115CR	12	10	6	2500
CGEX0715CR	18	14	9	2500
CGEX0815CR	25	17,5	12,5	2500




Copriforo/Cover cap

Art.	Ø	l		
CGC00102CR	17	4		10000
CGC00102P1CR	17	4,5		10000





Copriforo adesivo/adHesive Cover cap

Art.	Ø			
CGC01402CR	9			3000
CGC01502CR	13			2000
CGC01602CR	16			1000
CGC01702CR	20			900
CGC01802CR	25			720





Tiranti/Dowels

Art.	Ø	l	x	n	b	
CGTT0107CR	7	45	34	11	f.l.6	2500
CGTT0207CR	7	39	28	11	f.l.6	2500
CGTT0307CR	7	35	24	11	f.l.6	2500





Tiranti/Dowels

Art.	Ø	l	x	n	b	
CGTS0107CR	7	45	34	11	f.l.6	2500
CGTS0207CR	7	39	28	11	f.l.6	2500
CGTS0307CR	7	35	24	11	f.l.6	2500





Tiranti/Dowels

Art.	Øl		xn		b	
CGTZ0115CR	74	53	41	1f	.l.6	2500
CGTZ0215CR	73	52	41	1f	.l.6	2500





Tiranti/Dowels

Art.	Ø	l	x	n	b	
CGTSP0107CR	7	45	34	11	f.l.6	2500
CGTSP0207CR	7	39	28	11	f.l.6	2500
CGTSP0307CR	7	35	24	11	f.l.6	2500





Tiranti/Dowels

Art.	Ø	l	x	n	b	
CGTT0407CR	7	42	34	8	m6	2500
CGTT0507CR	7	36	28	8	m6	2500
CGTT0607CR	7	32	24	8	m6	2500
CGTT0707CR	7	42	34	8	m4	2500
CGTT0807CR	7	32	24	8	m4	2500





Tiranti/Dowels

Art.	Ø	l	x	n	b	
CGTS0407CR	7	42	34	8	m6	2500
CGTS0507CR	7	36	28	8	m6	2500
CGTS0607CR	7	32	24	8	m6	2500





Tiranti/Dowels

Art.	Ø	l	x	n	b	
CGTZ0315CR	7	45	34	8	m6	2500
CGTZ0415CR	7	35	24	8	m6	2500




Tiranti/Dowels

Art.	Ø	l	x	n	b	
CGTSP0407CR	7	42	34	8	m6	2500
CGTSP0507CR	7	36	28	8	m6	2500
CGTSP0607CR	7	32	24	8	m6	2500




TirantE CON ANELLO/Dowel W/RING

Art.	Ø		x	
CGTT1107CR	7	16	34	1000
CGTT1207CR	7	19	34	1000
CGTT1307CR	7	16	24	1000
CGTT1407CR	7	19	24	1000




TirantE SENZA ANELLO/Dowels W/O RING

Art.	Ø		x	
CGTT1107S/ACR	7	16	34	1000
CGTT1207S/ACR	7	19	34	1000
CGTT1307S/ACR	7	16	24	1000
CGTT1407S/ACR	7	19	24	1000




Tiranti/Dowels

Art.	Ø	x	
CGTT1007CR	7	44	1000




Eccentrici / Excenters

Art.		l	x	
CGEX0915CR	12	10,5	6	5000




Eccentrici c/bordo / Excenters with edge

Art.		l	x	
CGEX1015CR	10	9,5	5	5000




Tiranti/Dowels

Art.	Ø	l	x	n	b	
CGTS0107CR	7	45	34	11	f.l.6	2500
CGTS0207CR	7	39	28	11	f.l.6	2500
CGTS0307CR	7	35	24	11	f.l.6	2500
CGTS0407CR	7	42	34	8	m6	2500
CGTS0507CR	7	36	28	8	m6	2500
CGTS0607CR	7	32	24	8	m6	2500





Eccentrici/Excenters

Art.		l	x	
CGEX1115CR	18	14	9	2000




eccentrico Ø 35 / excenter ø 35

Art.		I	L	
CGEX1415CR	18/40	9,5	16,5	500




Copriforo/Cover cap

Art.	Ø	I	
CGC00102CR	17	4	10000
CGC00102P1CR	17	4,50	10000




Tiranti / Dowels

Art.	Ø	I	x	n	b	
CGTT1507CR	7	36	31	9	m6	2500
CGTT1607CR	7	34,5	31	7,5	m6	2500




Eccentrico MONTAGGIO VERTICALE / excenter FOR VERTICAL ASSEMBLING

Art.		I	L	
CGEX2015CR	18/40	9,5	16,5	500




COPRIFORO / COVER CAP

Art.	Ø		
CGC02002CR	37		500




Copriforo adesivo/adhesive Cover cap

Art.	Ø			
CGC02102CR	40			180
CGC02202CR	42			180




Ø4.2




Tiranti/Dowels

Art.	Ø	x	n	b	
CGTT4307CR	7,7	35	11	m8	1000
CGTT5707CR	7,7	35	11	7/16	1000
CGTT4507CR	7,7	35	9	m6	1000
CGTT4407CR	7,7	55	11	m8	500
CGTT5807CR	7,7	55	11	7/16	1000
CGTT4607CR	7,7	55	9	m6	500




Tiranti DOPPI / DOUBLES Dowels

Art.	Ø	x	n	b	
CGTT4907CR	6	70	7,7		500
CGTT5007CR	75	88/96	7,7		500




Eccentrici / Excenters

Art.			l	
CGEX1215CR			11,7	2000




Tiranti/Dowels

Art.	Ø	l	x	n	b	
CGTS0207CR	7	39	28	11	f.l.6	2500
CGTS0507CR	7	36	28	8	m6	2500




Tiranti/Dowels

Art.		
CGTT1707CR		1000




Copriforo/Cover cap

Art.		
CGC00202CR		10000




Copriforo / Cover cap

Art.		
CGC00302CR		10000




Copriforo / Cover cap

Art.		
CGC00402CR		10000




Viti / Screws

Art.		l	b	
CGML0207CR		65	m6	1000
CGML0307CR		85	m6	750
CGML0407CR		140	m6	500




Mezzaluna / Half-round bar

Art.		
CGML0115CR		2000




Dadi / Nuts

Art.		b	
CGNU0107CR		m6	2000




SERIE TOP CUCINE E ARMADI / KITCHEN AND WARDROBE TOP SERIES

Art.		I	L	
CGEX2015CR	18/40	9,5	16,5	500



Art.	I
CGTT5407CR	A RICHIESTA


Art.	Ø			
CGX1402CR	35			




Art.	
CGIP1402CR	



Art.		Materiale	Finitura
	CG00CM0500	Acciaio/Plated-Steel	Zinco Cromato/Zinc Chromium
Perni	CG00CM30040	Acciaio/Plated-Steel	Zinco Cromato/Zinc Chromium
Perni	CG00CM30050	Acciaio/Plated-Steel	Zinco Cromato/Zinc Chromium
Perni	CG00CM30060	Acciaio/Plated-Steel	Zinco Cromato/Zinc Chromium
Coperchio Normale	CG00CM30070	Nylon	Nero / Marrone / Avorio / Bianco
Coperchio Foro legno	CG00CM30150	Nylon	Nero / Marrone / Avorio / Bianco



Art.		Materiale	Finitura
	CG00CM0505	Acciaio/Plated-Steel	Zinco Cromato/Zinc Chromium
Perni	CG00CM30210	Acciaio/Plated-Steel	Zinco Cromato/Zinc Chromium
Perni	CG00CM30220	Acciaio/Plated-Steel	Zinco Cromato/Zinc Chromium
Perni	CG00CM30230	Acciaio/Plated-Steel	Zinco Cromato/Zinc Chromium
Coperchio Normale	CG00CM30240	Nylon	Nero / Marrone / Avorio / Bianco
Coperchio Foro legno	CG00CM30320	Nylon	Nero / Marrone / Avorio / Bianco



Art.		Materiale	Finitura
	CG00CM0535	Acciaio/Plated-Steel	Zinco Cromato/Zinc Chromium
Perni	CG00CM30390	Acciaio/Plated-Steel	Zinco Cromato/Zinc Chromium
Perni	CG00CM30420	Acciaio/Plated-Steel	Zinco Cromato/Zinc Chromium
Perni	CG00CM30400	Acciaio/Plated-Steel	Zinco Cromato/Zinc Chromium
Perni	CG00CM30410	Nylon	Nero / Marrone / Avorio / Bianco
Coperchio Foro legno	CG00CM30430	Nylon	Nero / Marrone / Avorio / Bianco
Coperchio Foro legno	CG00CM30470		

